

LAMAR

EQUIPMENT TRAILERS



THE HASSLE-FREE TRAILER EXPERIENCE

THE **HASSLE-FREE** TRAILER EXPERIENCE



3 Year Structural Warranty

Lamar's warranty covers the primary frame for 3 years.

1 Year Component Warranty

Non wearing components are covered for 1 year.

Premium 3rd Party Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

CARHAULER TRAILER

MODEL: CE

7,000 LB. GVWR



GVWR: 7,000 lbs.

Weight : 1,800 - 2,400 lbs.

Payload: 5,000 lbs.

Lengths: 16' - 22'

Widths: 83"

Frame: 5" Channel

Floor: Treated Pine

Deck Height: 21"

Loading Angle: 15°

This lightweight hauler is ideal for smaller cars and toys—offering dependable performance at an affordable price. A great entry-level trailer for weekend hauling with your larger mid-sized tow vehicle or 1/2 ton.



CE23

STANDARD FEATURES

Axles: 3.5K EZ Lube Idler & Elec. Brake Spring Axles

Coupler: 2" 10K Demco Adj Cast Coupler

Crossmembers: 24" Center-to-Center

Dove: 2 ft. Dove

Fenders: Round Diamond Teardrop

Floor: Treated Pine

Frame: 5" Channel

Hitch: Bumper Pull

Jack: 2K Top-Wind Flip Jack

Ramps: Pair of Slide In Ramps

Tie Downs: Standard Stake Pockets & Rub Rail

Tires: 205/75 R15 (C) 6Ply

POPULAR UPGRADES

- WELD ON D-RINGS
- SPARE TIRE MOUNT
- 11-GAUGE FLOOR
- EXTRA STAKE POCKETS
- 7K DROP LEG JACK



CARHAULER TRAILER

MODEL: CC

7,000 - 10,000 LB. GVWR



GVWR: 7,000 - 10,000 lbs.

Weight : 2,000 - 3,250 lbs.

Payload: 5,000 - 8,000 lbs.

Lengths: 16' - 24'

Widths: 83" - 102"

Frame: 5" - 6" Channel

Floor: Treated Pine

Deck Height: 22"

Loading Angle: 16°

Designed to carry full-size cars, small trucks, or light equipment with a ½ ton vehicle, the CC balances strength and simplicity.



CC25

STANDARD FEATURES

Axles: 5.2K EZ Lube Idler & Elec Brake Spring Axles

Coupler: 2 5/16" 21K Demco Adj Cast Coupler

Crossmembers: 24" Center-to-Center

Dove: 2 ft. Dove

Fenders: Diamond Teardrop | Drive Over (102")

Floor: Treated Pine

Frame: 5" Channel | 6" Channel (24' Length Only)

Hitch: Bumper Pull

Jack: 7K Drop-Leg Jack

Ramps: Pair of Slide In Ramps

Tie Downs: Standard Stake Pockets & Rub Rail

Tires: 225/75 R15 (D) 8Ply

POPULAR UPGRADES

- TOOLBOX
- DUAL ELECTRIC BRAKES
- SPARE TIRE MOUNT
- D-RINGS
- DIAMOND PLATE FLOOR



EQUIPMENT HAULER TRAILER

MODEL: H6

14,000 - 16,000 LB. GVWR



GVWR: 14,000 - 16,000 lbs.
Weight : 2,700 - 4,500 lbs.
Payload: 10,500 - 13,000 lbs.

Lengths: 14' - 22'
Widths: 83" - 102"
Frame: 6" Channel

Floor: Treated Pine
Deck Height: 25"
Loading Angle: 18°

The H6 is perfect for hauling skid steers, small tractors, or forklifts to job sites. With its 6" channel frame and tandem axles, it's built to work without complaint. Haul with your ¾ ton.



H627/H628

STANDARD FEATURES

Axles: 7K EZ Lube Elec Brake | 8K Elec Brake Oil Bath

Coupler: 2 5/16" 21K Demco Adj Cast Coupler

Crossmembers: 16" Center-to-Center

Dove: 2' Dove

Fenders: Diamond Plate (83") | Drive Over (102")

Floor: Treated Pine

Frame: 6" Channel

Hitch: Bumper Pull

Jack: Single 10K Drop-Leg Jack

Ramps: Pair of Slide In Ramps

Tie Downs: Standard Stake Pockets & Rub Rail

Tires: 215/75 R17.5 (H) 16Ply SS | 235/60 R16 (E) 10Ply

POPULAR UPGRADES

- 4' DOVE & RHINO RAMPS
- 24" STAND UP RAMPS
- WELD ON D-RINGS
- SPARE TIRE MOUNT
- FRONT TOOLBOX



EQUIPMENT HAULER TRAILER

MODEL: H8

14,000 - 21,000 LB. GVWR



GVWR: 14,000 - 21,000 lbs.

Weight : 3,500 - 6,700 lbs.

Payload: 10,500 - 17,000 lbs.

Lengths: 24' - 40'

Widths: 83" - 102"

Frame: 8" Channel

Floor: Treated Pine

Deck Height: 27"

Loading Angle: 15°

Perfect for hauling vehicles, skid steers, and small tractors. The H8 gives you up to 17K payload and an 8" frame to carry the load behind your ¾ ton without compromise. 1-ton advised on 21k unit.



H837

STANDARD FEATURES

Axles: 7K EZ Lube Elec Brake Spring Axles | 8K Elec Brake Oil Bath Spring Axles

Coupler: 2 5/16" 25K Gooseneck Coupler

Crossmembers: 16" Center-to-Center

Dove: 2' Dove

Fenders: Diamond Plate (83") | Drive Over (102")

Floor: Treated Pine

Frame: 8" Channel

Hitch: Gooseneck

Jack: Dual 10K Drop-Leg Jacks

Ramps: Pair of Heavy Duty Slide In Ramps

Stabilizers: Pair of Support Stands

Tie Downs: Standard Stake Pockets

Tires: 235/80 R16 (E) 10Ply | 215/75 R17.5 16Ply SS

Toolbox: Front Tool Box

POPULAR UPGRADES

- 14 PLY TIRES
- 4' DOVE
- RHINO RAMPS
- WINCH PLATE
- 24" STAND UP RAMPS



TILT TRAILERS

MODEL: SH, FA, & TD

7,000 - 21,000 LB. GVWR



GVWR: 7,000 - 21,000 lbs.

Weight : 2,000 - 6,000 lbs.

Payload: 5,000 - 14,500 lbs.

Lengths: 10' - 26'

Widths: 59" - 102"

Axes: Single - Triple

Floor: Diamond Plate | Treated Pine

Deck Height: SH 16" | FA 34" | TD 24"

Loading Angle: SH 10° | FA 15° | TD 11°

The SH compact tilt trailer is made for scissor lifts or small equipment requiring a low loading angle. Its design makes solo loading quick and safe. Pull with your mid sized or ½ ton vehicle.

The FA's full-width tilt deck is perfect for hauling equipment like tractors and skid steers with a ¾ ton tow vehicle. Easy to load—no ramps needed.

The TD is built for skid steers, compact loaders, or mini-excavators, featuring a gravity tilt deck and 14K GVWR. Fast, efficient, and easy to load and pull with your ¾ ton.

<u>STANDARD</u>	<u>MODEL: SH</u>	<u>MODEL: FA</u>	<u>MODEL: TD</u>
Axles:	7K EZ Lube Elec Brake 22.5° Up Torsion	7K EZ Lube Elec Brake Spring Axles	7K EZ Lube Elec Brake 22.5° Up Torsion
Coupler:	2 5/16" 21K Demco Adj Cast Coupler	2 5/16" 25K Gooseneck Coupler	2 5/16" 21K Demco Adj Cast Coupler
Crossmembers:	-----	16" Center-to-Center	12" Center-to-Center
Fenders:	Fenders	-----	Fenders
Floor:	Diamond Plate	Treated Pine	Treated Pine
Frame:	5" Channel	10" 12 lb. I-Beam	6" Channel
Hitch:	Bumperpull	Gooseneck	Bumperpull
Jack:	7K Drop-Leg	Dual 10K Drop-Leg	Single 10K Drop-Leg
Spare Tire:	-----	Spare Tire	-----
Tie Downs:	D-Rings & Standard Stake Pockets	Standard Stake Pockets	D-Rings & Standard Stake Pockets
Tilt Angle:	10°	15°	11°
Tilting:	Gravity Cylinder	Power Up & Down	Gravity Cylinder
Tires:	235/80 R16 (E) 10Ply	235/80 R16 (E) 10Ply	235/80 R16 (E) 10Ply
Toolbox:	-----	Front Toolbox	-----





WE BUILD
TRAILERS
THAT **LAST**

A solid red horizontal bar spanning the width of the image at the bottom.



HONOR **GOD**



SERVE **HUMBLY**



KEEP IT **SIMPLE**

903-782-9333 | info@lamartrailers.com
7271 FM 38 N. Sumner, Texas 75486



L A M A R T R A I L E R S . C O M