

LAMAR

DUMP TRAILERS



THE **HASSLE-FREE** TRAILER EXPERIENCE

THE **HASSLE-FREE** TRAILER EXPERIENCE



3 Year Structural Warranty

Lamar's warranty covers the primary frame for 3 years.

1 Year Component Warranty

Non wearing components are covered for 1 year.

Premium 3rd Party Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

DUMP TRAILER

7,000 - 10,000 LB. GVWR

MODEL: DS



GVWR: 7,000 - 10,000 lbs.

Weight : 2,200 - 2,500 lbs.

Payload: 4,500 - 7,500 lbs.

Lengths: 10'

Widths: 60"

Frame: 4" Channel

Floor: 10 Gauge

Deck Height: 26"

Loading Angle: 25°

Tough and reliable, the DS is perfect for smaller residential or landscaping jobs. Its compact build makes it easy to tow with a ½ ton truck without sacrificing toughness.



DS23/DS25

STANDARD FEATURES

Axles: 3.5K | 5.2K | 7K EZ Lube Spring Axles

Charger: 5 Amp Trickle Charger

Coupler: 2" 10K | 2 5/16" 21K Demco Adj Coupler

Crossmembers: 16" Center-to-Center

Floor: 10 Gauge

Frame: 4" Channel

Gate: Barn Doors

Hitch: Bumper Pull

Jack: 7K Drop-Leg Jack

Lift: 3.5" x 24" Cylinder

Ramps: Pair of Slide In Ramps

Spare: Spare Tire Mount

Tarp: Mesh Tarp with Pull Bar

Tie Downs: D-Rings & Standard Stake Pockets

Tires: 205/75 R15 (C) 6Ply | 225/75 R15 (D) 8Ply | 235/80 R16 (E) 10Ply

Toolbox: Front Toolbox

POPULAR UPGRADES

- SPREADER GATE
- 24" SIDES
- 10K DROP-LEG JACK
- WIRELESS REMOTE



DUMP TRAILER

10,000 LB. GVWR

MODEL: DM



GVWR: 10,000 lbs.
Weight : 2,400 - 2,700 lbs.
Payload: 7,300 lbs.

Lengths: 10' - 12'
Widths: 77"
Frame: 5" Channel

Floor: 10 Gauge
Deck Height: 26"
Loading Angle: 26°

Ideal for light commercial work, the DM can tackle bulkier loads while staying within the tow rating of most ½ ton trucks.



DM25

STANDARD FEATURES

Axles: 5.2K EZ Lube Spring Axles

Charger: 5 Amp Trickle Charger

Coupler: 2 5/16" 21K Demco Adj Coupler

Crossmembers: 16" Center-to-Center

Floor: 10 Gauge

Frame: 5" Channel

Gate: Barn Doors

Hitch: Bumper Pull

Jack: 7K Drop-Leg Jack

Lift: 5" x 16" Scissor

Ramps: Pair of Slide In Ramps

Spare: Spare Tire Mount

Tarp: Mesh Tarp with Pull Bar

Tie Downs: D-Rings & Standard Stake Pockets

Tires: 225/75 R15 (D) 8Ply

Toolbox: Front Toolbox

POPULAR UPGRADES

- SPREADER GATE
- SPARE TIRE MOUNT
- 24" SIDES
- 10K DROP-LEG JACK
- WIRELESS REMOTE



LOW PRO DUMP TRAILER

MODEL: DL & DT

14,000 - 21,000 LB. GVWR



GVWR: 14,000 - 21,000 lbs.

Weight : 4,000 - 6,000 lbs.

Payload: 10,000 - 15,500 lbs.

Lengths: 12' - 16'

Widths: 83"

Frame: 8" I-Beam Frame

Floor: 7 Gauge

Deck Height: 28"

Loading Angle: 20°

Built for the commercial user with at least a ¾ ton truck, the DT is Lamar's go-to for job sites needing serious dump capacity. Its mighty lift and 7-gauge floor power through tough jobs. 1-ton recommended on 21k unit. The DL model has a scissor lift and the DT has telescopic.



STANDARD FEATURES

Axles: 7K EZ Lube Elec Brake Spring Axles | 8K Elec Brake Oil Bath Spring Axles

Charger: 5 Amp Trickle Charger

Coupler: 2 5/16" 21K Demco Adj Cast Coupler

Crossmembers: 12" Center-to-Center

Floor: 7 Gauge Floor

Frame: 8" I-Beam Frame

Gate: Spreader

Hitch: Bumper Pull

Jack: Single 10K Drop-Leg Jack

Lift: Telescopic (DT) Scissor (DL)

Ramps: Pair of Heavy Duty Slide In Ramps

Spare: Spare Tire Mount

Tarp: Mesh Tarp with Pull Bar

Tie Downs: D-Rings & Standard Stake Pockets

Tires: 235/80 R16 (E) 10Ply | 215/75 R17.5 (H) 16Ply SS

Toolbox: Large Front Toolbox

POPULAR UPGRADES

- SUPPORT STANDS
- GOOSENECK
- SWING-ARM TARP
- 3' OR 4' SIDES
- SPARE TIRE





WE BUILD
TRAILERS
THAT **LAST**

A solid red horizontal bar spanning the width of the image at the bottom.



HONOR **GOD**



SERVE **HUMBLY**



KEEP IT **SIMPLE**

903-782-9333 | info@lamartrailers.com
7271 FM 38 N. Sumner, Texas 75486



L A M A R T R A I L E R S . C O M