



DECKOVER TRAILERS



THE HASSLE-FREE TRAILER EXPERIENCE

**LESS
HASSLE.**

**MORE
CONFIDENCE.**

THE HASSLE-FREE TRAILER EXPERIENCE

BACKED FOR 10 YEARS.



10 Year Structural Warranty

Lamar's warranty covers the frame and crossmembers for 10 years.

3 Year Component Warranty

Lamar built components are covered for 3 years.

1 Year Purchased Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

WE BUILD TRAILERS THAT LAST.

DECKOVER F8

LAMAR

GVWR: 14,000 lbs.



Pull this trailer behind your $\frac{3}{4}$ ton. Perfect for equipment, bulk material, and pallets—the F8 offers generous space and a 14K GVWR. Great for agriculture and job site delivery.

3

Weight: 3,300 - 4,300 lbs. | Payload: 10,500 lbs. | Lengths: 16' - 24' | Widths: 102"

Frame: 8" 10 lb. I-Beam | Floor: Treated Pine | Deck Height: 34" | Loading Angle: 20°

DECKOVER F8



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake Spring Axles
- > **Coupler:** 2 5/16" 21K Demco Adj Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Dove:** Straight Deck
- > **Floor:** Treated Pine
- > **Frame:** 8" 10 lb. I-Beam
- > **Hitch:** Bumper Pull
- > **Jack:** Single 10K Drop-Leg Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Tie Downs:** Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply
- > **Toolbox:** Expanded Metal Tool Tray



POPULAR UPGRADES

Spare Tire Mount | Front Toolbox | 5' Dove/Rhino Ramps | Weld On D-Rings | 4' Dove/24" Stand Ups

HEAVY DUTY FS



GVWR: 14,000 - 21,000 lbs.



The FS easily handles wider equipment and bulk material. Popular for farm use, we recommend at least a $\frac{3}{4}$ ton truck to haul this smooth-pulling trailer. 1-ton on the 21k is advised.

5 Weight: 5,000 - 8,000 lbs. | Payload: 9,000 - 15,000 lbs. | Lengths: 18' - 40' | Widths: 102"
Frame: 12" I-Beam | Floor: Treated Pine | Deck Height: 36" | Loading Angle: 21°

HEAVY DUTY FS



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K | 8K EZ Lube Elec Brake Spring Axles
- > **Coupler:** 2 5/16" 25K Gooseneck Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Dove:** Straight Deck
- > **Floor:** Treated Pine
- > **Frame:** 12" I-Beam (14 lb. - 19 lb.)
- > **Hitch:** Gooseneck
- > **Jack:** Dual 10K Drop-Leg Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Spare:** Spare Tire
- > **Tie Downs:** Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply | 215/75 R17.5 (H) 16 Ply SS
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

5' Dove/Rhino Ramps | 14 Ply Tires | Winch Plate | Low Profile Frame | Sliding Strap Winch Back

XTREME FD | FG

LAMAR

GVWR: 20,000 - 30,000 lbs.



Need to move heavy equipment or material with your 1-ton truck? The FD gives you up to a 24K GVWR with a tough 12" 19lb frame to match. Hot shotters love the 24k.

When you're hauling heavy machinery or equipment with your 1 ton, the FG is the trailer to trust. Its massive 30K GVWR and 12" 22lb frame hold up to the heaviest work.

7 **Weight: 6,000 - 11,000 lbs. | Payload: 12,000 - 21,000 lbs. | Lengths: 25' - 40' | Widths: 102"**
Frame: 12" I-Beam | Floor: Treated Pine | Deck Height: FD 37" FG 38" | Loading Angle: 22°

EXTREME FD | FG



STANDARD FEATURES

- > **Axles:** 10K | 12K | 15K Elec Brake Spring Axles
- > **Coupler:** 2 5/16" 25K | 2 5/16" 30K Gooseneck
- > **Crossmembers:** 16" Center-to-Center
- > **Dove:** Straight Deck
- > **Floor:** Treated Pine
- > **Frame:** 12" I-Beam (19 lb. - 22 lb.)
- > **Hitch:** Gooseneck
- > **Jack:** Dual 10K Drop-Leg Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Spare:** Spare Tire
- > **Tie Downs:** Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply Tire Dual Wheel
215/75 R17.5 (H) 16 Ply Tire Dual Wheel
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

Low Profile Pierced Beam | 5' Dove/Rhino Ramps | Dual Wheels | Winch Mount | 4' Side Toolbox

DECKOVER TILT FA



GVWR: 14,000 - 21,000 lbs.



The FA's full-width tilt deck is perfect for hauling equipment like tractors and skid steers with a $\frac{3}{4}$ ton tow vehicle. Easy to load—no ramps needed.

9 Weight: 5,500 - 6,000 lbs. | Payload: 8,000 - 14,500 lbs. | Lengths: 24' - 26' | Widths: 102"
Frame: 10" 12 lb. I-Beam | Floor: Treated Pine | Deck Height: 34" | Loading Angle: 15°

DECKOVER TILT FA



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake | 8K Elec Brake Oil Bath
- > **Coupler:** 2 5/16" 25K Gooseneck Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Floor:** Treated Pine
- > **Frame:** 10" 12 lb. I-Beam
- > **Hitch:** Gooseneck
- > **Jack:** Dual 10K Drop-Leg Jacks
- > **Spare:** Spare Tire
- > **Tie Downs:** Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply | 215/75 R17.5 (H) 16 Ply SS
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

Winch Plate | Bumperpull Hitch | 14 Ply Tires | 16 Ply Super Single Tires | Hydraulic Jacks

LAMAR **T R A I L E R S**

903-782-9333 | info@lamartrailers.com

7271 FM 38 N. Sumner, Texas 75486



**READ OUR
GOOGLE REVIEWS**



**FIND A DEALER
LOCATED NEAR YOU**

TRAILERS THAT LAST. PEOPLE WHO CARE. FOR GOD'S GLORY.