



DUMP TRAILERS



THE HASSLE-FREE TRAILER EXPERIENCE

**LESS
HASSLE.**

**MORE
CONFIDENCE.**

THE HASSLE-FREE TRAILER EXPERIENCE

BACKED FOR 10 YEARS.



10 Year Structural Warranty

Lamar's warranty covers the frame and crossmembers for 10 years.

3 Year Component Warranty

Lamar built components are covered for 3 years.

1 Year Purchased Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

WE BUILD TRAILERS THAT LAST.

MINI DUMP DS



GVWR: 7,000 - 10,000 lbs.



Tough and reliable, the DS is perfect for smaller residential or landscaping jobs. Its compact build makes it easy to tow with a ½ ton truck without sacrificing toughness.

3

Weight: 2,200 - 2,500 lbs. | Payload: 4,500 - 7,500 lbs. | Lengths: 10' | Widths: 60"
Frame: 4" Channel | Floor: 10 Gauge | Deck Height: 26" | Loading Angle: 25°

MINI DUMP DS



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 3.5K | 5.2K | 7K EZ Lube Spring Axles
- > **Charger:** 5 Amp Trickle Charger
- > **Coupler:** 2" 10K | 2 5/16" 21K Demco Adj Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Floor:** 10 Gauge
- > **Frame:** 4" Channel
- > **Gate:** Barn Doors
- > **Hitch:** Bumper Pull
- > **Jack:** 7K Drop-Leg Jack
- > **Lift:** 3.5" x 24" Cylinder
- > **Ramps:** Pair of Slide In Ramps
- > **Spare:** Spare Tire Mount
- > **Tarp:** Mesh Tarp with Pull Bar
- > **Tie Downs:** D-Rings & Standard Stake Pockets
- > **Tires:** 205/75 R15 (C) 6Ply | 225/75 R15 (D) 8Ply
235/80 R16 (E) 10Ply
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

Spreader Gate | 24" Sides | 10K Drop-Leg Jack | Wireless Remote

MEDIUM DUMP DM



GVWR: 10,000 lbs.



Ideal for light commercial work, the DM can tackle bulkier loads while staying within the tow rating of most ½ ton trucks.

5

Weight: 2,400 - 2,700 lbs. | Payload: 7,300 lbs. | Lengths: 10' - 12' | Widths: 77"
Frame: 5" Channel | Floor: 10 Gauge | Deck Height: 26" | Loading Angle: 26°

MEDIUM DUMP DM



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 5.2K EZ Lube Spring Axles
- > **Charger:** 5 Amp Trickle Charger
- > **Coupler:** 2 5/16" 21K Demco Adj Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Floor:** 10 Gauge
- > **Frame:** 5" Channel
- > **Gate:** Barn Doors
- > **Hitch:** Bumper Pull
- > **Jack:** 7K Drop-Leg Jack
- > **Lift:** 5" x 16" Scissor
- > **Ramps:** Pair of Slide In Ramps
- > **Spare:** Spare Tire Mount
- > **Tarp:** Mesh Tarp with Pull Bar
- > **Tie Downs:** D-Rings & Standard Stake Pockets
- > **Tires:** 225/75 R15 (D) 8Ply
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

Spreader Gate | Spare Tire Mount | 24" Sides | 10K Drop-Leg Jack | Wireless Remote

GENERAL DUTY DG



GVWR: 14,000 lbs.



Built for everyday hauling and cleanup jobs, the DG is a versatile trailer for homeowners, property owners, and light commercial crews. Its low-profile design, durable 10-gauge floor, and telescopic lift make loading, hauling, and dumping simple. Best suited for $\frac{3}{4}$ -ton trucks.

7

Weight: 3,820 lbs. | Payload: 10,180 lbs. | Lengths: 14' | Widths: 83"

Frame: 6" I-Beam | Floor: 10 Gauge | Deck Height: 26" | Loading Angle: 19°

GENERAL DUTY DG



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake Spring Axles
- > **Charger:** 5 Amp Trickle Charger
- > **Coupler:** 2 5/16" 21K Demco Adj Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Floor:** 10 Gauge
- > **Frame:** 6" 12 lb. I-Beam
- > **Gate:** Barn Doors
- > **Hitch:** Bumper Pull
- > **Jack:** 7K Drop-Leg Jack
- > **Lift:** Telescopic
- > **Ramps:** Pair of Heavy Duty Slide In Ramps
- > **Spare:** Spare Tire Mount
- > **Tarp:** Mesh Tarp with Pull Bar
- > **Tie Downs:** D-Rings & Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply
- > **Toolbox:** Large Front Toolbox



POPULAR UPGRADES

Spare Tire

LOW-PRO DL | DT




GVWR: 14,000 - 21,000 lbs.



Built for the commercial user with at least a $\frac{3}{4}$ ton truck, the DT is Lamar's go-to for job sites needing serious dump capacity. Its mighty lift and 7-gauge floor power through tough jobs. 1-ton recommended on 21k unit. The DL model has a scissor lift and the DT has telescopic.

9 **Weight: 4,000 - 6,000 lbs. | Payload: 10,000 - 15,500 lbs. | Lengths: 12' - 16' | Widths: 83"**
Frame: 8" I-Beam | Floor: 7 Gauge | Deck Height: 28" | Loading Angle: 20°

LOW-PRO DL | DT



STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake Spring Axles
8K Elec Brake Oil Bath Spring Axles
- > **Charger:** 5 Amp Trickle Charger
- > **Coupler:** 2 5/16" 21K Demco Adj Coupler
- > **Crossmembers:** 12" Center-to-Center
- > **Floor:** 7 Gauge
- > **Frame:** 8" I-Beam
- > **Gate:** Spreader
- > **Hitch:** Bumper Pull
- > **Jack:** Single 10K Drop-Leg Jack
- > **Lift:** Telescopic (DL) Scissor (DT)
- > **Ramps:** Pair of Heavy Duty Slide In Ramps
- > **Spare:** Spare Tire Mount
- > **Stabilizers:** Rear Support Stands
- > **Tarp:** Mesh Tarp with Pull Bar
- > **Tie Downs:** D-Rings & Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply | 215/75 R17.5 (H) 16Ply SS
- > **Toolbox:** Large Front Toolbox



POPULAR UPGRADES

Gooseneck | Swing-Arm Tarp | 3' or 4' Sides | Spare Tire

LAMAR **T R A I L E R S**

903-782-9333 | info@lamartrailers.com

7271 FM 38 N. Sumner, Texas 75486



**READ OUR
GOOGLE REVIEWS**



**FIND A DEALER
LOCATED NEAR YOU**

TRAILERS THAT LAST. PEOPLE WHO CARE. FOR GOD'S GLORY.