



EQUIPMENT TRAILERS



THE HASSLE-FREE TRAILER EXPERIENCE

**LESS
HASSLE.**

**MORE
CONFIDENCE.**

THE HASSLE-FREE TRAILER EXPERIENCE

BACKED FOR 10 YEARS.



10 Year Structural Warranty

Lamar's warranty covers the frame and crossmembers for 10 years.

3 Year Component Warranty

Lamar built components are covered for 3 years.

1 Year Purchased Component Warranty

Lamar uses high quality brands for parts and the warranty is covered by the parts respective manufacturer.

WE BUILD TRAILERS THAT LAST.

ECONO CARHAULER CE



GVWR: 7,000 lbs.



This lightweight hauler is ideal for smaller cars and toys—offering dependable performance at an affordable price. A great entry-level trailer for weekend hauling with your larger mid-sized tow vehicle or 1/2 ton.

3

Weight: 1,800 - 2,400 lbs. | Payload: 5,000 lbs. | Lengths: 16' - 22' | Widths: 83"

Frame: 5" Channel | Floor: Treated Pine | Deck Height: 21" | Loading Angle: 15°

ECONO CARHAULER CE



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 3.5K EZ Lube Idler & Elec Brake Spring Axles
- > **Coupler:** 2" 10K Demco Adj Cast Coupler
- > **Crossmembers:** 24" Center-to-Center
- > **Dove:** 2 ft. Dove
- > **Fenders:** Round Diamond Teardrop
- > **Floor:** Treated Pine
- > **Frame:** 5" Channel
- > **Hitch:** Bumper Pull
- > **Jack:** 2K Top-Wind Flip Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Tie Downs:** Standard Stake Pockets & Rub Rail
- > **Tires:** 205/75 R15 (C) 6Ply



POPULAR UPGRADES

Weld On D-Rings | Spare Tire Mount | 11-Gauge Floor | Extra Stake Pockets | 7K Drop Leg Jack

CLASSIC CARHAULER CC



GVWR: 7,000 - 10,000 lbs.



Designed to carry full-size cars, small trucks, or light equipment with a ½ ton vehicle, the CC balances strength and simplicity.

5 Weight: 2,000 - 3,250 lbs. | Payload: 5,000 - 8,000 lbs. | Lengths: 16' - 24' | Widths: 83" - 102"
Frame: 5" - 6" Channel | Floor: Treated Pine | Deck Height: 22" | Loading Angle: 16°

CLASSIC CARHAULER CC



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 5.2K EZ Lube Idler & Elec Brake Spring Axles
- > **Coupler:** 2 5/16" 21K Demco Adj Cast
- > **Crossmembers:** 24" Center-to-Center
- > **Dove:** 2 ft. Dove
- > **Fenders:** Diamond Teardrop | Drive Over (102")
- > **Floor:** Treated Pine
- > **Frame:** 5" Channel | 6" Channel (24' Length Only)
- > **Hitch:** Bumper Pull
- > **Jack:** 7K Drop-Leg Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Tie Downs:** Standard Stake Pockets & Rub Rail
- > **Tires:** 225/75 R15 (D) 8Ply



POPULAR UPGRADES

Toolbox | Dual Electric Brakes | Spare Tire Mount | D-Rings | Diamond Plate Floor

EQUIPMENT HAULER H6



GVWR: 14,000 - 16,000 lbs.



The H6 is perfect for hauling skid steers, small tractors, or forklifts to job sites. With its 6" channel frame and tandem axles, it's built to work without complaint. Haul with your $\frac{3}{4}$ ton.

7 Weight: 2,700 - 4,500 lbs. | Payload: 10,500 - 13,000 lbs. | Lengths: 14' - 22' | Widths: 83" - 102"
Frame: 6" Channel | Floor: Treated Pine | Deck Height: 25" | Loading Angle: 18°

EQUIPMENT HAULER H6



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake | 8K Elec Brake Oil Bath
- > **Coupler:** 2 5/16" 21K Demco Adj Cast
- > **Crossmembers:** 16" Center-to-Center
- > **Dove:** 2' Dove
- > **Fenders:** Diamond Plate (83") | Drive Over (102")
- > **Floor:** Treated Pine
- > **Frame:** 6" Channel
- > **Hitch:** Bumper Pull
- > **Jack:** Single 10K Drop-Leg Jack
- > **Ramps:** Pair of Slide In Ramps
- > **Tie Downs:** Standard Stake Pockets & Rub Rail
- > **Tires:** 215/75 R17.5 (H) 16Ply SS | 235/60 R16 (E) 10Ply



POPULAR UPGRADES

4' Dove & Rhino Ramps | 24" Stand Up Ramps | Weld On D-Rings | Spare Tire Mount | Front Toolbox

HEAVY DUTY HAULER H8



GVWR: 14,000 - 21,000 lbs.



Perfect for hauling vehicles, skid steers, and small tractors. The H8 gives you up to 17K payload and an 8" frame to carry the load behind your $\frac{3}{4}$ ton without compromise. 1-ton advised on 21k unit.

9 Weight: 3,500 - 6,700 lbs. | Payload: 10,500 - 17,000 lbs. | Lengths: 24' - 40' | Widths: 83" - 102"
Frame: 8" Channel | Floor: Treated Pine | Deck Height: 27" | Loading Angle: 15°

HEAVY DUTY HAULER H8



SCAN FOR
MORE INFO

STANDARD FEATURES

- > **Axles:** 7K EZ Lube Elec Brake | 8K Elec Brake Oil Bath Spring Axles
- > **Coupler:** 2 5/16" 25K Gooseneck Coupler
- > **Crossmembers:** 16" Center-to-Center
- > **Dove:** 2' Dove
- > **Fenders:** Diamond Plate (83") | Drive Over (102")
- > **Floor:** Treated Pine
- > **Frame:** 8" Channel
- > **Hitch:** Gooseneck
- > **Jack:** Dual 10K Drop-Leg Jacks
- > **Ramps:** Pair of Slide In Ramps
- > **Stabilizers:** Pair of Support Stands
- > **Tie Downs:** Standard Stake Pockets
- > **Tires:** 235/80 R16 (E) 10Ply | 215/75 R17.5 16Ply SS
- > **Toolbox:** Front Toolbox



POPULAR UPGRADES

14 Ply Tires | 4' Dove | Rhino Ramps | Winch Plate | 24" Stand Up Ramps

10

TILTS SH | FA | TD



GVWR: 7,000 - 21,000 lbs.



SH



FA



TD

11

Weight: 2,000 - 6,000 lbs. | Payload: 5,000 - 14,500 lbs. | Lengths: 10' - 26' | Widths: 59" - 102"
Axles: Single - Triple | Deck Height: SH 16" FA 34" TD 24" | Loading Angle: SH 10° FA 15° TD 11°

TILTS SH | FA | TD

SCAN FOR
MORE INFO



SH



FA



TD

The SH compact tilt trailer is made for scissor lifts or small equipment requiring a low loading angle. Its design makes solo loading quick and safe. Pull with your mid sized or ½ ton vehicle.

The FA's full-width tilt deck is perfect for hauling equipment like tractors and skid steers with a ¾ ton tow vehicle. Easy to load—no ramps needed.


The TD is built for skid steers, compact loaders, or mini-excavators, featuring a gravity tilt deck and 14K GVWR. Fast, efficient, and easy to load and pull with your ¾ ton.

STANDARD FEATURES

	<u>MODEL: SH</u>	<u>MODEL: FA</u>	<u>MODEL: TD</u>
> Axles:	7K EZ Lube Elec Brake 22.5° Up Torsion	7K EZ Lube Elec Brake Spring Axles	7K EZ Lube Elec Brake 22.5° Up Torsion
> Coupler:	2 5/16" 21K Demco Adj Cast Coupler	2 5/16" 25K Gooseneck Coupler	2 5/16" 21K Demco Adj Cast Coupler
> Crossmembers:	-----	16" Center-to-Center	12" Center-to-Center
> Fenders:	Fenders	-----	Fenders
> Floor:	Diamond Plate	Treated Pine	Treated Pine
> Frame:	5" Channel	10" 12 lb. I-Beam	6" Channel
> Hitch:	Bumperpull	Gooseneck	Bumperpull
> Jack:	7K Drop-Leg	Dual 10K Drop-Leg	Single 10K Drop-Leg
> Spare Tire:	-----	Spare Tire	-----
> Tie Downs:	D-Rings & Standard Stake Pockets	Standard Stake Pockets	D-Rings & Standard Stake Pockets
> Tilt Angle:	10°	15°	11°
> Tilting:	Gravity Cylinder	Power Up & Down	Gravity Cylinder
> Tires:	235/80 R16 (E) 10Ply	235/80 R16 (E) 10Ply	235/80 R16 (E) 10Ply
> Toolbox:	-----	Front Toolbox	-----

VIEW POPULAR UPGRADES AT [LAMARTRAILERS.COM](https://www.lamartrailers.com)

12



**WE BUILD
TRAILERS
THAT LAST.**



LAMAR **T R A I L E R S**

903-782-9333 | info@lamartrailers.com

7271 FM 38 N. Sumner, Texas 75486



**READ OUR
GOOGLE REVIEWS**



**FIND A DEALER
LOCATED NEAR YOU**

TRAILERS THAT LAST. PEOPLE WHO CARE. FOR GOD'S GLORY.